

## SUSTAINING GROUP COGNITION IN A MATH CHAT ENVIRONMENT

GERRY STAHL

*College of Information Science & Technology  
Drexel University, Philadelphia, PA 19104 USA  
Gerry.Stahl@drexel.edu  
<http://www.cis.drexel.edu/faculty/gerry>*

Learning takes place over long periods of time that are hard to study directly. Even the learning experience involved in solving a challenging math problem in a collaborative online setting can be spread across hundreds of brief postings during an hour or more. Such long-term interactions are constructed out of posting-level interactions, such as the strategic proposition of a next step. This paper identifies a pattern of exchange of postings that it terms *math proposal adjacency pair*, and describes its characteristics. Drawing on the methodology of conversation analysis, the paper adapts this approach to investigating mathematical problem-solving communication and to the computer-mediated circumstances of online chat. Math proposals and other interaction methods constitute the collaborative group as a working group, give direction to its problem solving and help to sustain its shared meaning making or group cognition. Groups sustain their online social and intellectual work by building up longer sequences of math proposals, other adjacency pairs and a variety of interaction methods. Experiences of collaboration and products of group cognition emerge over time.

*Keywords:* Group cognition; CSCL; mathematics education; asynchronous chat; math proposal adjacency pair; failed proposal; conversation analysis; intersubjective meaning making.

Research in learning has traditionally focused on psychological processes at the individual unit of analysis. With the shift to socio-cultural approaches in recent years, the community unit of analysis has come to the fore. In a new book on group cognition, we have identified small groups as defining a middle ground between individual people and communities of practice:

Small groups are the engines of knowledge building. The knowing that groups build up in manifold forms is what becomes internalized by their members as individual learning and externalized in their communities as certifiable knowledge. At least, that is a central premise of this book. (Stahl, 2006b, p. 16)

The concept of group cognition, however, retains a certain ambiguity of scale. On the micro level, it is based on the discovery by conversation analysis that the smallest element of meaning in discourse is the adjacency pair, a product of interaction within a dyad or small group, and not an expression of individual cognition (Duranti, 1998; Schegloff, 1991). On the macro level, it is a vision of collaborative knowledge building, where knowledge arises through community, interpersonal or social interaction (Lave & Wenger, 1991; Scardamalia & Bereiter, 1996; Vygotsky, 1930/1978). Taking one approach or the other, we can analyze how a small group of students establishes a detailed point of shared understanding or we can, for instance, analyze how they apprentice participation in the community of math discourse. The question remains: how can we understand what happens in a group at the interesting meso level during a one-hour math chat consisting of many detailed interactions but perhaps not measurably increasing the group's community participation?

This paper tries to address the gap in the methodology of the learning sciences in a preliminary way. It begins with a detailed analysis of a particular interaction that actually occurred in a student chat. It then gradually broadens the discussion of online math chat sessions, discussing various aspects of how the elemental adjacency pairs in such a momentary interaction contribute to a sustained group experience over a somewhat longer period of time. The presentation proceeds through these steps:

- (1) The context of online math chats which provide the empirical basis for our observations is first motivated and described.
- (2) The concept of adjacency pairs from conversation analysis is adapted to the situation of online math chats and is particularized as "math proposal adjacency pairs."
- (3) A specific adjacency pair is analyzed as a "failed proposal," which by contrast sheds light on the nature of successful proposals.
- (4) We then describe our design-based research approach in which we revise our software and pedagogy in response to issues observed during a sequence of evolving trials.
- (5) Next, we look at a more extended interaction that occurred in our revised chat environment, involving methods of computer-supported deictic referencing that build from adjacency pairs to longer sequences of cognitive work.
- (6) To extrapolate beyond one or two detailed interactions and analyze more extended sessions with some generality would require volumes of exposition. We therefore rely on our other studies, our general impressions from observing and participating in many online math chats, and from related work by others to discuss a number of relevant aspects of sustained group cognition.
- (7) We conclude with reflections on how groups construct and sustain their on-going sense of shared experience. This points to future work.

## 1. Doing Mathematics Together Online

Technology-enhanced learning offers many opportunities for innovation in education. One of the major avenues is by supporting the building of collaborative meaning and knowledge (Stahl, 2006b). For instance, it is now possible for students around the world to work together on challenging math problems. Through online discussion, they can share problem-solving experiences and gain fluency in communicating mathematically. Research on mathematics education stresses the importance of student discourse about math (NCTM, 2000; Sfard, 2002), something that many students do not have opportunities to practice face-to-face.

While much research on computer-supported collaborative learning (CSCL) has analyzed the use of asynchronous threaded discussion forums, there has been relatively little research on the use of synchronous chat environments in education. The research reported here suggests that chat has great promise as a medium for collaborative learning if the medium and its use are carefully configured. This paper investigates how math discourse takes place within the chat medium and how we use our analyses to inform the design of effective math chat environments.

In the Virtual Math Teams (VMT) research project at the Math Forum (<http://mathforum.org/vmt>), we invite middle-school students to participate in online chats about interesting problems in beginning algebra and geometry. The following math problem, discussed in the chat excerpt analyzed below, is typical:

If two equilateral triangles have edge-lengths of 9 cubits and 12 cubits, what is the edge-length of the equilateral triangle whose area is equal to the sum of the areas of the other two?

We rely on a variety of approaches from the learning sciences to guide our research and to analyze the results of our trials, including coding along multiple dimensions (Strijbos & Stahl, 2005), analysis of threading (Cakir *et al.*, 2005) and ethnography (Shumar, 2006). In particular, we have developed an ethnomethodologically-informed (Garfinkel, 1967; Heritage, 1984) chat analysis approach based on conversation analysis (Pomerantz & Fehr, 1991; Psathas, 1995; Sacks, 1992; Sacks, Schegloff & Jefferson, 1974; ten Have, 1999) to understand the structure of interactions that take place in student chats. In this paper, we adapt a finding of conversation analysis to math chats and analyze a specific form of adjacency pairs that seem to be important for this context. Before presenting these findings, it may be useful to describe briefly how the notion of adjacency pairs differs from naïve conceptions of conversation.

There is a widespread common-sense or folk-theory (Bereiter, 2002; Dennett, 1991) view of conversation as the exchange or transmission of propositions (Shannon & Weaver, 1949). This view was refined and formalized by logicians and cognitive scientists as involving verbal “expression” in meaningful statements by individuals, based on their internal mental representations. Speech served to transfer meanings from the mind of a speaker to the mind of a listener, who then

interpreted the expressed message. Following Wittgenstein (1953) in critiquing this view, speech act theory (Austin, 1952; Searle, 1969) argued that the utterances spoken by individuals were ways of acting in the world, and were meaningful in terms of what they accomplished through their use and effects. Of course, the expression, transmission and interpretation of meaning by individuals can be problematic, and people frequently have to do some interactional work in order to re-establish a shared understanding. The construction of common ground has been seen as the attempt to coordinate agreement between individual understandings (Clark & Brennan, 1991).

Conversation analysis takes a different view of conversation. It looks at how interactional mechanisms, like the use of adjacency pairs, co-construct intersubjectivity.

*Adjacency pairs* are common sequences of utterances by different people — such as mutual greetings or question/answer interchanges — that form a meaningful speech act spanning multiple utterances, which cannot be attributed to an individual or to the expression of already formed mental states. They achieve meaning in their very interaction.

We are interested in what kinds of adjacency pairs are typical for math chats. The topic of adjacency pairs is taken up extensively in Sections 2 and 6.1 below. Stahl (2006b) further discusses the implications that viewing adjacency pairs as the smallest elements of meaning making has for the intersubjective foundation of group cognition, a process of jointly constructing meaning in discourse.

The medium of online chat has its own peculiarities (Lonchamp, 2006; Mühlpfordt & Wessner, 2005; O'Neill & Martin, 2003). Most importantly, it is a text-based medium, where interaction takes place by the sequential response of brief texts to each other (Livingston, 1995; Zemel, 2005). As a quasi-synchronous medium (Garcia & Jacobs, 1999), chat causes confusion because several people can be typing at once and their texts can appear in an order that obscures to whom or to what they are responding. Furthermore, under time pressure to submit their texts so that they will appear near the post to which they are responding, some chat participants break their messages into several short texts. Because of these peculiarities of chat, it is necessary for researchers to carefully reconstruct the intended threading of texts that respond to each other before attempting to interpret the flow of interaction (Cakir *et al.*, 2005; Strijbos & Stahl, 2005).

Math chats differ from ordinary informal conversation in a number of additional ways. They are focused on the task of solving a specific problem, and they take place within a somewhat formal institutional setting. They involve the *doing* of mathematics (Livingston, 1986). And, of course, they are computer-mediated rather than face-to-face. The approach of conversation analysis is based on ethnomethodology (Garfinkel, 1967), which involves the study of the *methods* that people use to accomplish what they are doing. So, we are interested in working out the methods that are used by students in online math chats. In this paper, we discuss a

particular method of collaboration in math chats that we have elsewhere called *exploratory participation*: participants engage each other in the conjoint discovery and production of both the problem and possible solutions (Wegerif, 2006; Zemel, Xhafa & Stahl, 2005).

## 2. Math Proposal Adjacency Pairs

In order to begin to analyze the methods that students use in math chats, we take a close look at an excerpt from an actual chat. Figure 1 shows an excerpt from near the beginning of the log of one of our first online collaborative math problem-solving sessions. Three students — named Avr, Sup and Pin — have just entered the chat room, said hello to each other and read the problem involving three triangles.

The first thing to notice here is a pattern of proposals, discussions and acceptances similar to what takes place in a face-to-face discourse. Bids for proposals about steps in solving the math problem are made by Avr in lines 1, 3, 8, 17 and

1. Avr (8:21:46 PM): Okay, I think we should start with the formula for the area of a triangle
2. Sup (8:22:17 PM): ok
3. Avr (8:22:28 PM):  $A = 1/2bh$
4. Avr (8:22:31 PM): I believe
5. pin (8:22:35 PM): yes
6. pin (8:22:37 PM): i concue
7. pin (8:22:39 PM): concur\*
8. Avr (8:22:42 PM): then find the area of each triangle
9. Avr (8:22:54 PM): oh, wait
10. Sup (8:23:03 PM): the base and height are 9 and 12 right?
11. Avr (8:23:11 PM): no
12. Sup (8:23:16 PM): o
13. Avr (8:23:16 PM): that's two separate triangles
14. Sup (8:23:19 PM): ooo
15. Sup (8:23:20 PM): ok
16. Avr (8:23:21 PM): right
17. Avr (8:23:27 PM): i think we have to figure out the height by ourselves
18. Avr (8:23:29 PM): if possible
19. pin (8:24:05 PM): i know how
20. pin (8:24:09 PM): draw the altitude'
21. Avr (8:24:09 PM): how?
22. Avr (8:24:15 PM): right
23. Sup (8:24:19 PM): proportions?
24. Avr (8:24:19 PM): this is frustrating
25. Avr (8:24:22 PM): I don't have enough paper
26. pin (8:24:43 PM): i think i got it
27. pin (8:24:54 PM): its a 30/60/90 triangle
28. Avr (8:25:06 PM): I see
29. pin (8:25:12 PM): so whats the formula

Fig. 1. Excerpt of  $3\frac{1}{2}$  minutes from a one-hour chat log. Three students chat about a geometry problem. Line numbers have been added and screen-names anonymized; otherwise the transcript is identical to what the participants saw on their screens.

17, 18. Avr (8:23: 29 PM): i think we have to figure out the height by ourselves ... if possible

19. pin (8:24:05 PM): **i know how**

21. Avr (8:24:09 PM): how?

20. pin (8:24:09 PM): **draw the altitude'**

22. Avr (8:24:15 PM): right

24. Avr (8:24:19 PM): this is frustrating

23. Sup (8:24:19 PM): **proportions?**

Fig. 2. Part of the chat log excerpt in Figure 1, with order revised for threading.

by Pin in lines 20, 27. These proposals are each affirmed by someone else in lines 2, 6, 10, 19, 22, 28, respectively.

To avoid chat confusion, note that line 21 responds to line 19, while line 22 responds to line 20. The timestamps show that lines 20 and 21 effectively overlapped each other chronologically: Avr was typing line 21 before she saw line 20. Similarly, lines 24 and the following were responses to line 20, not line 23. We will correct for these confusions later, in Figure 2, which reproduces a key passage in this excerpt.

In Figure 1, we see several examples of a three-step pattern:

- (1) A proposal bid is made by an individual for the group to work on: “I think we should . . . .”
- (2) A proposal acceptance is made on behalf of the group: “Ok,” “right”
- (3) There is an elaboration of the proposal by members of the group. The proposed work is begun, often with a secondary proposal for the first sub-step.

The three-step pattern consists of a pair of postings — a bid and an acceptance — that form a proposal about math, and some follow-up effort. This suggests that collaborative problem-solving of mathematics may often involve a particular form of adjacency pair. We will call this a *math proposal adjacency pair*.

Here are seven successful math proposal adjacency pairs from Figure 1:

1. Avr: Okay, I think we should start with the formula for the area of a triangle
2. Sup: ok
3. Avr:  $A = 1/2bh$
6. pin: **i concue**
8. Avr: then find the area of each triangle
10. Sup: the base and heighth are 9 and 12 right?
17. Avr: i think we have to figure out the height by ourselves
19. pin: **i know how**
20. pin: **draw the altitude'**
22. Avr: right
27. pin: **its a 30/60/90 triangle**
28. Avr: I see

Note that the response is not always literally immediately adjacent to the bid in the chat log due to the complexities of chat posting. But the response is logically adjacent as an up-take of the bid.

Many varieties of adjacency pairs allow for the insertion of other pairs between the two parts of the original pair, delaying completion of the original pair. For instance, a question/answer pair may be delayed by utterances seeking clarification of the question. As we will see in Section 5, the clarification interaction may itself consist of question/answer pairs, possibly with their own clarifications — this may continue recursively. With math proposal adjacency pairs, the subsidiary pairs seem to come after the completion of the original pair, in the form of secondary proposals, questions or explanations that start to do the work that was proposed in the original pair. This characteristic leads to their role in sustaining group inquiry.

Math proposals tend to lead to some kind of further mathematical work as a response to carrying out what was proposed. Often — as seen in the current example — that work consists of making further proposals. In this way, the three-step structure of the math proposal adjacency pair starts to sustain the group interaction. The proposal bid by one person calls forth a proposal response by someone else. If the response is one of acceptance, it in turn calls forth some further work to be done or a bid for another proposal. If the response is a rejection, it may lead to justification, discussion and negotiation.

It is striking that the proposed work is not begun until there is agreement with the proposal bid. This may represent consent by the group as a whole to pursue the proposed line of work. Of course, this idea is not so clear in the current example, where there are only three participants and the interaction often seems to take place primarily between pairs of participants. As confirmed by other chat examples, however, the proposal generally seems to be addressed to the whole group and opens the floor for other participants to respond. The use of “we” in “we should” or “we have to” (stated or implied) constitutes the multiple participants as a plural subject — an effective unified group (Lerner, 1993). Any one other than the proposer may respond on behalf of the group. The fact that the multiple participants are posited as a group for certain purposes, like responding to a proposal bid, by no means rules out their individual participation in the group interaction from their personal perspectives, or even their independent follow-up work on the math. It simply means that the individual who responds to the bid may be doing so on behalf of the group.

Moreover, there seems to be what in conversation analysis is called an interactional *preference* (Schegloff, Jefferson & Sacks, 1977) for acceptance of the proposal. That is, if one accepts a proposal, it suffices to briefly indicate agreement: “ok.” If one wants to reject a proposal, however, then one has to account for this response by giving reasons. If the group accepts the bid, one person’s response may serve on behalf of the group; if the group rejects the bid, several people may have to get involved.

We would like to characterize in more detail the method of making math proposal adjacency pairs. Often, the nature of an interactional method is seen most clearly when it is breached (Garfinkel, 1967). Methods are generally taken for granted by people; they are not made visible or conducted consciously. It is only when there is a *breakdown* (Heidegger, 1927/1996; Winograd & Flores, 1986) in the smooth, tacit performance of a method that people focus on its characteristics in order to overcome the breakdown. The normally transparent method becomes visible in its breach. In common-sense terms we say, “The exception proves the rule,” meaning that when we see why something is an exceptional case it makes clear the rule to which it is an exception. Heidegger made this into an ontological principle, whereby things first become experience-able during a breakdown of understanding. Garfinkel uses this, in turn, as a methodological fulcrum to make visible that which is commonly assumed and is effective but unseen.

We can interpret Sup’s posting in line 23 as a *failed proposal*. Given the mathematics of the triangle problem, a proposal bid related to proportionality, like Sup’s, might have been fruitful. However, in this chat, line 23 was effectively ignored by the group. While its character as a failed proposal did not become visible to the participants, it can become clear to us by comparing it to successful proposal bids in the same chat and by reflecting on its sequential position in the chat in order to ask why it was not a successful bid. This will show us by contrast what the characteristics are that make other proposal bids successful.

### 3. A Failed Proposal

Let us look at line 23 in its immediate interactional context in Figure 2. We can distinguish a number of ways in which it differed from successful math proposal bids that solicited responses and formed math proposal adjacency pairs:

(a) All the other proposal bids (1, 3, 8, 17, 20, 27) were stated in relatively complete sentences. Additionally, some of them were introduced with a phrase to indicate that they were the speaker’s proposal bid (1. “I think we should . . .,” 17. “I think we have to . . .,” 20. “i know how . . .” and 27. “i think i got it . . .”). The exceptions to these were simply continuations of previous proposals: line 3 provided the formula proposed in line 1 and line 8 proposed to “then” use that formula. Line 23, by contrast, provided a single word with a question mark. There was no syntactic context (other than the question mark) within the line for interpreting that word and there was no reference to semantic context outside of the line. Line 23 did not respond in any clear way to a previous line and did not provide any alternative reference to a context in the original problem statement or elsewhere. For instance, Sup could have said, “I think we should compute the proportion of the height to the base of those equilateral triangles.”

(b) The timing of line 23 was particularly unfortunate. It exactly overlapped a line from Avr. Because Avr had been setting the pace for group problem solving during



this part of the chat, the fact that she was involved in following a different line of inquiry spelled doom for any alternative proposal around the time of line 23. Pin either seemed to be continuing on his own thread without acknowledging anyone else at this point, or else he was responding too late to previous postings. So a part of the problem for Sup was that there was little sense of a coherent group process — and what sense there was did not include him. If he was acting as part of the group process, for instance posing a question in reaction to Pin and in parallel to Avr, he was not doing a good job of it and so his contribution was ignored in the group process. It is true that a possible advantage of text-based interaction like chat over face-to-face interaction is that there may be a broader time window for responding to previous contributions. In face-to-face conversation, turn-taking rules may define appropriate turns for response that expire in a fraction of a second as the conversation moves on. In computer-based chat, the turn-taking sequence is more open. However, even here if one is responding to a posting that is several lines away, it is important to make explicit somehow the post to which one is responding. Sup could have said, “I know another way to find the height — using proportions.” His posting does not do anything like that; it relies purely upon sequential timing to establish its context, and that fails in this case.

(c) Sup’s posting 23 came right after Pin’s proposal bid 20: “draw the altitude.” Avr had responded to this with 22 (“right”), but Sup seems to have ignored that. Pin’s proposal had opened up work to be done and both Avr and Pin responded after line 23 with contributions to this work. So Sup’s proposal bid came in the middle of an ongoing line of work without relating to it. In sequential terms, he made a bid for a proposal when it was not time to make a proposal. Sup’s proposal bid was not positioned within the group effort to sustain a promising line of inquiry. It is like trying to take a conversational turn when there is not a pause that creates a turn-taking opportunity. Now, it is possible — especially in chat — to introduce a new proposal at any time. However, to do so effectively, one must make a special effort to bring the on-going work to a temporary halt and to present one’s new proposal as an alternative. Simply saying “proportions?” will not do it. Sup could have said, “Instead of drawing the altitude, let’s use proportions to find it.”

(d) To get a proposal response to a proposal bid, one can elicit at least an affirmation or recognition. Again, this is a matter of pre-structuring a sustained interaction. Line 23 does not really solicit a response. For instance, Avr’s question, 21: “how?” called for an answer — that was given by Pin in line 20, which actually appeared in the chat window just prior to the question and with the same time stamp. But Sup’s posting does not call for a specific kind of answer. Even Sup’s own previous proposal bid in line 10 ended with “right?” — requiring agreement or disagreement. Line 10 elicited a clear response from Avr, line 11 (“no”) followed by an exchange explaining why Sup’s proposal was not right.

(e) Other proposal bids in the excerpt are successful in contributing to sustaining the collaborative knowledge building or group problem solving in that they open

up a realm of work to be done. One can look at Avr's successive proposal bids on lines 1, 3, 8 and 17 as laying out a work strategy. This elicits a proposal response from Sup trying to find values to substitute into the formula and from Pin trying to draw a graphical construction that will provide the values for the formula. Sup's proposal bid in line 23, however, neither calls for a response nor opens up a line of work. There is no request for a reaction from the rest of the group, and the proposal bid is simply ignored. Since no one responded to Sup, he could have continued by doing some work on the proposal himself. He could have come back and made the proposal more explicit, reformulated it more strongly, taken a first step in working on it, or posed a specific question related to it. But he did not — at least not until much later — and the matter was lost.

(f) Another serious hurdle for Sup was his status in the group at this time. In lines 10 through 16, Sup had made a contribution that was taken as an indication that he did not have a strong grasp of the math problem. He offered the lengths of the two given triangles as the base and height of a single triangle (line 10). Avr immediately and flatly stated that he was wrong (line 11) and then proceeded to explain why he was wrong (line 13). When he agreed (line 15), Avr summarily dismissed him (line 16) and went on to make a new proposal that implied his approach was all wrong (lines 17 and 18). Then Pin, who had stayed out of the interchange, re-entered, claiming to know how to implement Avr's alternative proposal (lines 19 and 20) and Avr confirmed that (line 22). Sup's legitimacy as a source of useful proposals had been totally destroyed at precisely the point just before he made his ineffective proposal bid. Less than two minutes later, Sup tries again to make a contribution, but realizes himself that what he says is wrong. His faulty contributions confirm repeatedly that he is a drag on the group effort. He makes several more unhelpful comments later and then drops out of the discourse for most of the remaining chat. Sustaining a math chat discourse involves work to maintain an ongoing social interaction as well as work to continue the math inquiry. Proposal bids and other postings are constrained along multiple dimensions of efforts to sustain the activity.

The weaknesses of line 23 as a proposal bid suggest (by contrast, exception, breach or breakdown) some characteristics for successful proposals:

- (a) a clear semantic and syntactic structure,
- (b) careful timing within the sequence of postings,
- (c) a firm interruption of any other flow of discussion,
- (d) the elicitation of a response,
- (e) the specification of work to be done and
- (f) a history of helpful contributions.

In addition, there are other interaction characteristics and mathematical requirements. For instance, the level of mathematical background knowledge assumed in a proposal must be compatible with the expertise of the participants, and the computational methods must correspond with their training. Additional characteristics

become visible in other examples of chats. Successful proposals contribute in multiple ways to sustaining the group cognitive process.

As we have just seen, the formulation of effective bids for math proposals involves carefully situating one's posting within the larger flow of the chat. This is highly analogous to taking a turn in face-to-face conversation (Sacks *et al.*, 1974). Where conversation analysis developed a systematics of turn taking, we are trying to discover the systematics of chat interaction. This would describe how math proposals and other chat methods must be designed to fit into — and thereby contribute to — the sustained flow of group interaction.

So far in this paper, the notion of math proposal adjacency pairs has been illustrated in just a single chat log excerpt. But in our research we have seen both successful and failed math proposals many times. Other researchers have also noted the role of successful and failed proposals in collaborative problem solving (Barron, 2003; Cobb, 1995; Dillenbourg & Traum, 2006; Sfard & McClain, 2003).

Each proposal bid and uptake is unique — in its wording and its context. The interactional work that it does and the structuring that it employs are situated in the local details of its sequential timing and its subtle referencing of unique and irreproducible elements of the on-going chat. Each group of students develops somewhat different methods of engaging with math problems and making math proposals. Even within a given chat, each posting pair that might be a proposal must be analyzed as a unique, meaning-making interaction in order to determine if it is in fact a math proposal adjacency pair. That is why case studies provide the necessary evidence — the essential details of interaction methods are lost in aggregation, in the attempt to overcome what Garfinkel (1967) terms the “irreducible indexicality” of the event. To the extent that identifying proposal pairs is a useful analytic approach, it is important to determine what interactional methods of producing such proposals are effective (or not) in fostering successful knowledge building and group cognition, as we have begun to do here.

An understanding of methods like proposal making can guide the design of activity structures for collaborative math. As we are collecting and analyzing a corpus of chat logs under different technological conditions, we are evolving the design of computer support through iterative trials and analyses.

#### 4. Designing Computer Support

If the failure of Sup's proposal about proportions is considered deleterious to the collaborative knowledge building around the triangles problem, then what are the implications of this for the design of educational computer-based environments? One response would be to help students like Sup formulate stronger proposals. Presumably, giving him positive experiences of interacting with students like Avr and Pin, who are more skilled in chat proposal making, would provide Sup with models and examples from which he can learn — assuming that he perseveres and does not drop out of the chat.

Another approach to the problem would be to build functionality into the software and structures into the activity that scaffold the ability of weak proposal bids to survive. As students like Sup experience success with their proposals, they may become more aware of what it takes to make a strong proposal bid.

Professional mathematicians rely heavily upon inscription — the use of specialized notation, the inclusion of explicit statements of all deductive steps and the format of the formal proof to support the discussion of math proposals — whether posted on an informal whiteboard, scrawled across a university blackboard or published in an academic journal. Everything that is to be referenced in the discussion is labeled unambiguously. To avoid ellipsis, theorems are stated explicitly, with all conditions and dependencies named. The projection of what is to be proven is encapsulated in the form of the proof, which starts with the givens and concludes with what is proven. Perhaps most importantly, proposals for how to proceed are listed in the proof itself as theorems, lemmas, etc. and are organized sequentially. (This view of proof is an idealization that abstracts from unstated tacit background knowledge of the mathematical community, as Livingston (1999) and Wittgenstein (1944/1956) before him have demonstrated.)

One could imagine a chat system supplemented with a window containing an informal list of proposals analogous to the steps of a proof. After Sup's proposal, the list might look like Figure 3. When Sup made a proposal in the chat, he would enter a statement of it in the proof window in logical sequence. He could cross out his own




Fig. 3. A list of proposals.

proposal when he felt it had been convincingly argued against by the group (see dashed lines in Figure 3 crossing out the proposal that base and height = 9 and 12).

The idea is that important proposals that were made would be retained in a visible way and be shared by the group. Of course, there are many design questions and options for doing something like this. Above all, would students understand this functionality and would they use it? The design sketch indicated in Figure 3 is only meant to be suggestive.

Another useful tool for group mathematics would be a shared drawing area. In the chat environment used by Sup, Pin and Avr, there was no shared drawing, but a student could create a drawing and send it to the others. Pin did this twelve minutes after the part of the interaction shown in the excerpt. Before the drawing was shared, much time was lost due to confusion about references to triangles and vertices. For math problems involving geometric figures, it is clearly important to be able to share drawings easily and quickly. Again, there are many design issues, such as how to keep track of who drew what, who is allowed to erase, how to point to items in the drawing and how to capture a record of the graphical interactions in coordination with the text chatting.

Because we are designing a computer-supported experience that has never before existed and because we want our design to be based on detailed study of how students actually create their collaborative experience in the environment we are designing, we follow a highly iterative try-analyze-redesign cycle of design-based research (Design-Based Research Collective, 2003), in order to asymptotically approach an effective computer-supported environment and math discourse community.

We started with a simple online service. We used AOL's IM commercial chat system that was already familiar to many students. We invited students into chat rooms and presented a problem from the Math Forum's well-established Problem of the Month service. An adult facilitator was present in the room to help with any technical problems. When we saw how necessary a shared whiteboard was we tried an open source solution and also WebCT's and Blackboard's interactive classrooms. Eventually we collaborated with researchers in Germany to use and further develop ConcertChat. Together, we have gradually evolved ConcertChat into a sophisticated environment for both students and researchers.

Since the early AOL-based chat analyzed above, we have gone through many cycles of design, trial and analysis. In addition to designing support for persistent summaries of work (such as that in Figure 3) and a shared whiteboard for constructing geometric drawings (discussed in the following section and shown in Figure 4), we have incorporated the following: a referencing tool; a way for users to explicitly thread their chat postings; several forms of social awareness; tutorials on how to use the new features; a help system on using the tools, collaborating and problem-solving; and a lobby to support group formation. We have also experimented extensively with how best to formulate math problems or topics and how to provide feedback to students on their work.




Fig. 4. Screen view of VMT-Chat with referencing. Line 12 of the chat is selected.

### 5. References and Threading

The more we study chat logs, the more we see how interwoven the postings are with each other and with the holistic Gestalt of the interactional context that they form. There are many ways in which a posting can reference elements of its context. The importance of indexicality to creating shared meaning was stressed by Garfinkel (1967). Vygotsky also noted the central role of pointing for mediating intersubjectivity in his analysis of the genesis of the infant-and-mother’s pointing gesture (1930/1978, p. 56). Our analysis of face-to-face collaboration emphasized that spoken utterances in collaborative settings tend to be elliptical, indexical and projective ways of referencing previous utterances, the conversational context and anticipated responses (Stahl, 2006b, chapter 12).

Based on these practical and theoretical considerations — and working with the ConcertChat developers — we evolved the VMT-Chat environment. As shown in Figure 4, it not only includes a shared whiteboard, but has functionality for referencing areas of the whiteboard from chat postings and for referencing previous



postings. The shared whiteboard is necessary for supporting most geometry problems. (This will save Avr the frustration of running out of paper, and also let Pin and Sup see what she is drawing and add to it or reference it.) Sharing drawings is not enough; students must be able to reference specific objects or areas in the drawing. (For example, Sup could have pointed to elements of the triangles that he felt to be significantly proportional.) The whiteboard also provides opportunities to post text where it will not scroll away. (Sup could have put his failed proposal in a text box in the whiteboard, where he or the others could come back to it later.) The graphical references (see the bold line from a selected posting to an area of the drawing in Figure 4) can also be used to reference one or more previous postings from a new posting in order to make the threads of responses clearer in the midst of “chat confusion” (Fuks, Pimentel & de Lucena, 2006).

In one of our first chats using VMT-Chat, the students engaged in a particularly complex interaction of referencing a figure in the whiteboard whose mathematics they wanted to explore (Stahl, Zemel *et al.*, 2006). Here is the chat log from Figure 4 (graphical references to the whiteboard are indicated by “[REF TO WB]” in the log):

- |    |      |  |
|----|------|--|
| 1  | ImH: | what is the area of this shape? [REF TO WB]                          |
| 2  | Jas: | which shape?   |
| 3  | ImH: | woops  |
| 4  | ImH: | ahh!   |
| 5  | Jas: | kinda like this one? [REF TO WB]                                     |
| 6  | Jas: | the one highlighted in black and dark red?                           |
| 7  | ImH: | between th stairs and the hypotenuse                                 |
| 8  | Jas: | oh   |
| 9  | Jas: | that would be a tricky problem, each little<br>“sector” is different |
| 10 | Jas: | this section [REF TO WB]   |
| 11 | ImH: | perimeter is $12\sqrt{3}$  |
| 12 | Jas: | is smaller than this section [REF TO WB]                             |
| 13 | ImH: | assume those lines are on the blocks                                 |
| 14 | Jas: | the staircase lines?   |
| 15 | ImH: | yeah   |
| 16 | Jas: | they already are on the blocks                                       |

Line 1 of the chat textually references an abstract characteristic of a complex graphical form in the whiteboard: “the area of this shape.” The software function to support this reference failed, presumably because the student, ImH, was not experienced in using it and did not cause the graphical reference line to point to anything in the drawing. Line 5 provides a demo of how to use the referencing tool. Using the tool’s line, a definite textual reference (“the one”) and the use of line color and thickness in the drawing, lines 5 and 6 propose an area to act as the topic

of the chat. Line 7 makes explicit in text the definition of a sub-area of the proposed area. Line 8 accepts the new definition and line 9 starts to work on the problem concerning this area. Line 9 references the problem as “that” and notes that it is tricky because the area defined does not consist of standard forms whose area would be easy to compute and add up. It refers to the non-uniform sub-areas as little “sectors.” Line 10 then uses the referencing tool to highlight (roughly) one of these little sectors or “sections.” Line 12 continues line 10, but is interrupted in the chat log by line 11, a failed proposal bid by ImH. The chat excerpt continues to reference particular line segments using deictic pronouns and articles as well as a growing vocabulary of mathematical objects of concern: sectors, sections, lines, blocks.

Progress is made slowly in the collaborative exploration of mathematical relationships, but having a shared drawing helps considerably. The students use multiple textual and graphical means to reach a shared understanding of mathematical objects that they find interesting but hard to define. In this excerpt, we start to get a sense of the complex ways in which brief textual postings weave dense webs of relationships among each other and with other elements of the collaborative context.

This example shows how creating shared meaning can require more than a simple adjacency pair. In order to establish a reference to “this shape” that could allow the two participants to discuss that math object, the dyad had to construct a complex involving nested question/answer pairs, math proposal pairs, a failed proposal bid, drawing, coloring, labeling, pointing, multiple repairs, computations. Here we see a more sustained group cognitive process. Across 16 postings and considerable coordinated whiteboard activity during two minutes, the student dyad defines a math object for investigation. The definition is articulated by this whole sequence of combined and intricately coordinated textual and graphical work.

## 6. Sustaining the Group Interaction

The goal of our research is to provide a service to students that will allow them to have a rewarding experience collaborating with their peers in online discussions of mathematics. We can never know exactly what kind of subjective experience they had, let alone predict how they will experience life under conditions that we design for them. For instance, it is methodologically illegitimate to ask if ImH already “intended” or “had in mind” in line 1 the shape that the group subsequently arrived at. We know from the log that ImH articulated much of the explicit description, but he only did this in response to Jas. If we interviewed ImH afterwards he might quite innocently and naturally project this explicit understanding back on his earlier state of mind as a retrospective account or rationalization (Suchman, 1987).

Our primary access to information related to the group experiences comes from chat logs (including the whiteboard history). The logs capture most of what student members see of their group on their computer screens. They therefore constitute a fairly complete record of everything that the participants themselves had available



to understand their group interaction. We can even replay the logs so that we see how the session unfolded sequentially in time. Of course, we are not engaged in the interaction the way the participants were, and recorded experiences never quite live up to the live version because the engagement is missing. To gain some first-hand experience, we do test out the environments ourselves and enjoy the experience, but we experience math and collaboration differently than do middle-school students. We also interview students and their teachers, but teenagers rarely reveal much of their life to adults.

So we try to understand how collaborative experiences are structured as interpersonal interactions that are sustained over time. The focus is not on the individuals as subjective minds, but on the human, social group as constituted by the interactions that take place within the group. Although we generally try to ground our understanding of interaction through close, detailed analysis of excerpts from chat recordings, we do not have room to document our analysis of longer scale structures at that level of detail in this paper. We have collected over 50 hours of small-group chat about math. We engage in weekly collaborative data sessions (Jordan & Henderson, 1995) to develop case studies of unique chat excerpts. A number of published papers arising from these sessions are available at <http://www.mathforum.org/vmt/researchers/publications.html>. The discussion in the remainder of this paper is a high-level summary based on what we have observed.

### 6.1. *Replies, up-take, pairs and triplets*

Figure 5 provides a diagram of the responses of postings in the chat discussed in Sections 2 and 3 above involving Avr, Pin and Sup. The numbers of the posts by each participant are placed in chronological order in a column for that participant. Math proposal adjacency pairs are connected with solid arrows and other kinds of responses are indicated with dashed arrows. Note that Sup's failed proposal bid (line 23) is isolated. Most of the chat, however, has coherence, flow or motion due to the fact that most postings are responses to previous messages. This high level of responses is due to the fact that many postings elicit responses or up-take, the way that a greeting invariably calls forth another greeting in response, or a question typically produces an answer. In a healthy conversation, most contributions by one participant are taken up by others. Conversationalists work hard to fit their offerings into the timing and evolving focus of the on-going interaction. In chat, the timing, rules and practices are different, but the importance of up-take remains.

The fact that the group process and the cross-ties between people are central to collaborative experiences does not contradict the continuing importance of the individuals. The representation of Figure 5 uses columns to indicate the connections and implicit continuity within the sequence of contributions made by an individual




Fig. 5. Threading of adjacency pairs and other uptake.

(compare the representation in Sford & McClain, 2003). We may project psychological characteristics onto the unity of an individual's postings, attributing this unity to personal interests, personality, style, role, etc. Such attributions may change as the chat unfolds. The point is that the individual coherence and unfolding of each participant's contributions adds an important dimension of implicit sustaining connections among the postings.

Adjacency pairs like math proposals, greetings and questionings provide important ties that cut across the connections of individual continuities. They form the smallest elements of shared meaning precisely by binding together postings from different people. A proposal bid that is not taken up is not a meaningful proposal, but at best a failed attempt at a proposal. A one-sided greeting that is not recognized by the other is not an effective greeting. An interrogative expression that does not call for a response is no real questioning of another. These adjacency pairs are all interactional moves whose meaning consists in a give-and-take between two or more people. When we hear something that we recognize as a proposal bid, a greeting or a question, we feel required to attempt an appropriate response. We may ignore the proposal bid, snub the greeter or refuse to answer the question, but then our silence is taken as a response of ignoring, snubbing or refusing — and not simply a lack of response.

In fact, the way that a response is taken is also part of the interaction itself. In discussing the building of “common ground,” Clark argues that shared understanding by *A* and *B* of *A*'s utterance involves not only *B* believing that he understands *A*, but also *A* agreeing that *B* understands (Clark & Brennan, 1991). This requires

an interaction spanning multiple utterances. For instance, the most prevalent interaction in classroom discourse is when a teacher poses a question, a student provides an answer demonstrating understanding and then the teacher acknowledges the student response as such an understanding (Lemke, 1990). Here, the elemental cell of interactional meaning making is a sequence of contributions by different people.

It is clear in this analysis that the meaning is constructed through the interaction of multiple people, and is not a simple expression of pre-existing mental representations in any one individual's head. This is the philosophical importance of the concept of adjacency pair: that meaning in groups is made through the interaction of multiple people, not completely by an individual's mental activity. In calling this "group cognition," we extend the term "cognition" from individual psychology to apply to processes in which small groups through their discourse construct meaning structures like logical arguments or mathematical proofs — that is, they engage in processes which are considered thinking when conducted by individual people. This approach is consistent with dialogical theories that actually view higher-level thinking by individuals as derivative of such intersubjective meaning making (Bakhtin, 1986; Linell, 2001; Stahl, Koschmann & Suthers, 2006; Vygotsky, 1930/1978; Wegerif, 2006).

## 6.2. *Longer sequences*

Although much attention has been given to adjacency pairs in conversation analysis and although such pairs can be thought of as the elements of meaning making in collaborative interaction, they form only one of many levels of analysis. For instance, there are *longer sequences* (Sacks, 1992, vol. II, p. 354), *episodes* (Linell, 2001) and *topics* in dialogs and chats (Zemel, Xhafa & Cakir, 2005) that provide layers of structure and sense. An hour-long chat is not a homogeneous interchange. A typical math chat might start with a period of introductions, greetings, socializing. Then there could be some problem-solving work. This might be periodically interrupted by joking, playing around, or silliness. People may come and go, requiring catching up and group reorganization. Each of these episodes has boundaries during which the group members must negotiate whether or not to stop what they were doing and start something else. These transitions may themselves be longer sequences of interaction, especially in large groups. We have barely begun to explore these different layers.

In social conversation, people work hard to strike up conversations, to propose new topics of mutual interest and to keep the conversation going. Online math chats face similar challenges. Students hesitantly greet each other and get things started. Math proposals are often used to introduce new topics and to carry forward a train of thought together. Finally, participants engage in considerable interaction work to sustain their sessions, intertwining humor, socializing and math inquiry — often using one of these modes to sustain others. Eventually every group decides to disband, at least until a future session.

The referencing excerpt from VMT-Chat in Section 5 above was from the second hour-long session in a series of four chats by the same group. The sessions referred back to previous sessions and prepared for future ones. We hope to foster a community of Math Forum users who come back repeatedly to math chats, potentially with their friends. Their chats will reference other chats and different online experiences, building connections at the community level. This adds more layers of interconnections. It may sustain group interaction, inquiry and reflection over more significant periods of time.

### **6.3. *Constructing proofs***

Learning math involves becoming skillful in the social practices of the math community (Livingston, 1999). The math community is an aspect of the world-historical global community. The most central participants are the great mathematicians, who have invented new mathematical objects and developed new forms of mathematical practice (Sfard & Linchevski, 1994). Most of the population has low math literacy and participates on the periphery of the math discourse community. They are unable to manipulate math concepts fluidly in words or mathematical symbolism (Sfard, 2002). Nevertheless, they can use basic arithmetic methods for practical purposes (Lave, 1988). One of the most fundamental methods of math is counting, which children are drilled at extensively. Formal math assumes that the practitioner is skilled at following rules, such as the non-formalized rules of numeric sequencing (Wittgenstein, 1944/1956).

In our chats, students work on math problems and themes. In solving problems and exploring math worlds or phenomena, the groups construct sequences of mathematical reasoning that are related to proving. Proofs in mathematics have an interesting and subtle structure. To understand this structure, one must distinguish:

- the problem statement-and-situation;
- the exploratory search for a solution;
- the effort to reduce a haphazard solution path to an elegant, formalized proof;
- the statement of the proof; and
- the lived experience of following the proof (Livingston, 1986, 1987).

Each of these has its own structures and practices. Each implicitly references the others. To engage in mathematics is to become ensnared in the intricate connections among them. To the extent that these aspects of doing math have been distinguished and theorized, it has been done as though there is simply an individual mathematician at work. There has been virtually no research into how these could be accomplished and experienced collaboratively — despite the fact that talking about math has for some time been seen as a priority in math education (NCTM, 1989; Sfard, 2002).

#### 6.4. *The stream of group consciousness*

Psychologists like William James and novelists like Jack Kerouac have described narratives that we tell ourselves silently about what we are doing or observing as our stream of consciousness. This “inner voice” rattles on even as we sleep, making connections that Sigmund Freud found significant (if somewhat shocking in his day). In what sense might online chats — with their meanderings, flaming, associative referencing, unpredictable meaning making and unexpected images — deserve equal status as streams of (group) consciousness? Group cognition can be self-conscious: The group discourse can talk about the existence of the group discourse itself and comment on its own characteristics.

Our sense of sustained time and the rhythms of life are largely reliant upon the narratives we tell ourselves (Bruner, 1990; Sarmiento, Trausan-Matu & Stahl, 2005). We know that we have already lived through a certain part of the day or of our life because our present is located within a nexus of ties to the past or hopes for the future. In similar ways, a chat’s web of references that connects current postings to prior ones to which they respond and to future postings that they elicit defines a temporality of the chat. This is experienced as a lived sense of time that is shared by the group in the chat. Like our individual internal clocks, the group temporality is attuned to the larger world outside — the world of family life that calls the students away from the chat for dinner or the world of school that interrupts a chat with class changes or homework pressures. The temporality that defines a dimension of the collaborative experience is constrained by the nature of the social situation and by the functionality of the technological environment.

### 7. Constructing the Group Experience

Groups constitute themselves (Garfinkel, 2006, pp. 189ff; Sacks, 1992, vol. I, pp. 144–149). We can see how they do this in the chat logs. At one level the VMT service brings several students together and locates them in a chat room together. It may supply a math problem for them to work on and it may provide a facilitator who introduces them to the environment. At this point, they are a potential group with a provisionally defined membership. The facilitator might say something like, “Welcome to our first session of Virtual Math Teams! I am the facilitator for your session. . . . As a group, decide which question you would like to work on.” (This is, in fact, part of the facilitator script from the session involving ImH and Jas excerpted above.) Here we can see that the facilitator has defined the group (“as a *group* . . . *you*”) and distinguished her own role as outside the group (“*I* am the facilitator . . . *your* session”). The potential group projected by the facilitator need not necessarily materialize. Individual students may come to the setting, look around, decide it is lame, and leave as individuals. However, this rarely happens. Sometimes an individual will leave without ever interacting, but as long as enough students come there, a group emerges.

Students enter the chat environment with certain motivations, expectations and experiences. These are generally sufficient to get the group started. One can see the group form itself. This is often reflected in the shift from singular to plural pronouns: “*Let’s* get started. Let *us* do some math.” We saw this in Avr’s proposal: “*I* think *we* have to figure out the height by *ourselves*.” The proposal bid comes from an individual, but the projected work is for the group. Through her use of “we,” Avr constitutes the group. Through her proposal bid, she constitutes the group as a recipient of the bid and elicits a response from them. Someone other than Avr must respond to the bid on behalf of the group. When Pin says, “I know how: draw the altitude,” he is accepting Avr’s proposal as a task for the group to work on and in so doing he makes a proposal about how the group should go about approaching this task (by making a geometric construction). In this interchange, the group (a) is projected as an agent (“we”) in the math work (Lerner, 1993), and (b) is actually the agent of meaning making because the meaning of Avr’s proposal is defined by the interaction within the group (e.g. by a math proposal adjacency pair).

If the group experience is a positive one for the participants, they may want to return. Some chats end with people making plans to get together again. In some experiments, the same groups attended multiple sessions. We would like to see a community of users form, with teams re-forming repeatedly and with old-timers helping new groups to form and learn how to collaborate effectively.

The recognition that collaborative groups constitute themselves interactionally and that their sense making takes place at the group unit of analysis has implications for the design of cognitive tools for collaborative communities. The field of computer-supported collaborative learning (CSCL) was founded a decade ago to pursue the analysis of group meaning making and the design of media to support it (Stahl, Koschmann *et al.*, 2006). We view the research described here as a contribution to this CSCL tradition.

We are designers of tools for collaborative groups. We want to design an online collaborative service, with strong pedagogical direction and effective computer support. Our goal is to design an environment that fosters exciting mathematical group experiences for students and inspires them to return repeatedly. Our ultimate vision is to foster a sustainable community of math discourse among students. We approach this by trying to understand how groups of students construct their experience in such settings.

When students enter our website now, they are confronted by a densely designed environment. The lobby to our chat rooms is configured to help students find their way to a room that will meet their needs. In the room, there is a daunting array of software functionality for posting and displaying chat notes, drawing geometric forms and annotating them, keeping track of who is doing what and configuring the space to suit oneself. There may be a statement of a math problem to solve or an imaginary world to explore mathematically. The service, problems and software are all designed to enhance the user’s experience. But how can a student who is new

to all this understand the meanings of the many features and affordances that have been built into the environment?

Groups of students spontaneously develop methods for exploring and responding to their environments. They try things out and discuss what happens. A new group may doodle on the whiteboard and then joke about the results. They bring with them knowledge of paint and draw programs and skills from video games, SMS and IM. The individuals may have considerable experience with single-user apps, but react when someone else erases their drawing; they must learn to integrate coordination and communication into their actions. The math problems they find in the chat rooms may be quite different than the drill-and-practice problems they are used to in traditional math textbooks. It may take the group a while to get started in productive problem solving, so the group has to find ways to keep itself together and interacting in the meantime. There may be various forms of socializing, interspersed with attempts to approach the math. As unaccustomed as the math may be, the students always have some knowledge and experience that they can bring to bear. They may apply numerical computations to given values; try to define unknowns and set up equations; graph relationships; put successive cases in a table; use trigonometric relationships or geometric figures; draw graphical representations or add lines to an existing drawing. Mainly, they put proposals out in the chat stream and respond to the proposals of others. Sometimes the flow of ideas wanders without strong mathematical reflection. Other times, one individual can contribute substantial progress and engage in expository narrative to share her contribution with the group (Stahl, 2006a).

Groupware is never used the way its designers anticipated. The designers of VMT-Chat thought that its referencing tools would immediately clarify references to elements of drawings and transform chat confusion into logical threaded chat. But our studies of the actual use of these designed functions tell a quite different and more interesting story. The shared whiteboard with graphical references from the chat may allow more complex issues to be discussed, but they do not make pointing problem free. We saw in Section 5 how much work ImH and Jas engaged in to clarify for each other what they wanted to focus on. In the excerpt and in the longer chat, they used a variety of textual, drawing and referencing methods. Through this process, they learned how to use these methods and they taught each other their use. Within a matter of a fraction of a minute, they were able to reach a shared understanding of a topic to work on mathematically. During that brief time, they used dozens of deictic methods, some that would prove more useful than others for the future.

Chat is a highly constrained medium. Participants feel various pressures to get their individual points of view out there. In a system like VMT-Chat, there is a lot to keep track of: new postings, changes to the whiteboard, signs that people are joining, leaving, typing, drawing. Small details in how something is written, drawn or referenced may have manifold implications through references to present, past or future circumstances. Students learn to track these details; apply them creatively;

acknowledge to the group that they have been recognized; check, critique and repair them. Each group responds to the environment in its own way, giving group meaning to the features of the collaborative world and thereby putting their unique stamp on their group experience.

In the process, they create a group experience that they share. This experience is held together with myriad sorts of references and ties among the chat postings and drawings. Often, what is not said is as significant as what is. Individual postings are fragmentary, wildly ambiguous, and frequently confusing. In lively chats, much of what happens remains confusing for most participants. Clarity comes only through explicit reflections, up-takes, appreciations or probing. The interactions among postings, at many levels, cohere into a stream of group consciousness, a flow of collaboration, a shared lived temporality and, with luck, an experience of mathematical group cognition.

The small groups who meet in the VMT-Chat rooms participate in the larger collaborative communities of: the VMT project, the Math Forum user community and the math discourse community at large. In general, interacting small groups mediate between their individual members and the larger communities to which they belong. The discourse within the small group evokes and collects texts, drawings and actions by different participants, who bring multiple interpretive perspectives to the shared meaning making. Enduring ambiguity, mutual inconsistency and downright contradiction pervade the resultant group cognition, with its “inter-animation of perspectives” (Bakhtin, 1986; Wegerif, 2006). Whether or not we assume that an individual’s thoughts are logically consistent and interpretively determinant, it seems that much of a group chat generally remains a mystery to both participants and researchers. Yet, from out of the shrouds of collective fog insights are co-constructed that could not otherwise shine forth. The tension arising from conflicting or ungraspable interpretations in place of harmonious shared meaning fuels the creative work of constructing innovative group understanding.

The chat environment as incorporated in the VMT project is essentially different from familiar conversational situations, as we have seen in this paper. In general, there is little known by the participants about each other, except for what appears in the chat text or whiteboard drawings. No one’s age, gender, appearance, accent, ethnicity is known. Even people’s real names are replaced in the chat with anonymous login handles. Participants do not observe each other typing and correcting text until it is posted. Nor do they see what people are doing or saying in their lives outside the chat — if they have gone for a snack, are talking on the phone or are engaged in other, simultaneous online interactions. Normally, a person’s history, culture and personality are conveyed through their vocal intonation and physical appearance (Bourdieu, 1972/1995); these are absent in chat. The one-hour duration of most VMT chats limits the history that can be established among participants through the available outlets of text and drawing, interaction style, word choice and use of punctuation. Yet these drastically restricted means somehow allow incredibly rich, unique, creative and sophisticated interactions to take place. Insights take



place and are shared; meaning is constructed and made sense of by groups. Perspectives and personal voices are established and acknowledged. Like characters in a Beckett play, chat participants learn to survive using radically impoverished discourse within a sensuously desolate landscape, and they sustain surprising forms of interaction for about an hour.

## **8. Conclusion**

As we have seen in this paper, when students enter into one of our chats they enter into a complex social world. They typically constitute quickly a working group and begin to engage in activities that configure a group experience. This experience is conditioned by a social, cultural, technological and pedagogical environment that has been designed for them. Within this environment, they adopt, adapt and create methods of social practice for interacting together with the other students who they find in the chat environment. Over time, they explore their situation together, create shared meaning, decide what they will do and how they will behave, engage in some form of mathematical discourse, socialize, and eventually decide to end their session.

Then our job as researchers begins: to analyze what has happened and how the software tools we are designing condition the collaborative experiences that groups construct and sustain. We face the same poverty of knowledge about our subjects that the participants themselves face about each other. But, here too, less can be more. This record is conducive to careful, detailed analysis, without the interpretive complexities of video recording and transcription. We can analyze what happens at the group unit of analysis, with the methods of interaction adopted by the participants, because everything that could have gone into the shared understanding of the participants is available in the persistent record of the chat room history.

We can study this record at our leisure and make explicit the influences which the group experienced tacitly in the flow of its life. We can observe how several students constitute and sustain their group cognition in the math chat environment we are designing with them.

We can identify successful and failed math proposals, questions, greetings and other low-level interactions. We can observe how groups construct, identify, make sense of and explore math objects. But we can also see how these elementary interactions build up longer sequences of group cognition (Stahl, 2006b), intersubjective meaning making (Suthers, 2006) and sustained collaborative group experiences.

## **Acknowledgments**

An earlier version of the first part of this paper won a Best Paper Award at ICCE 2005 in Singapore (Stahl, 2005). The Virtual Math Teams Project is a collaborative effort at Drexel University. The Principal Investigators are Gerry Stahl, Stephen Weimar and Wesley Shumar. A number of Math Forum staff work on the

project, especially Stephen Weimar, Annie Fetter and Ian Underwood. The graduate research assistants are Murat Cakir, Johann Sarmiento, Ramon Toledo and Nan Zhou. Alan Zemel is the post-doc; he facilitates weekly conversation analysis data sessions. The following visiting researchers have spent 3 to 6 months on the project: Jan-Willem Strijbos (Netherlands), Fatos Xhafa (Spain), Stefan Trausan-Matu (Romania), Martin Wessner (Germany), Elizabeth Charles (Canada). The VMT-Chat software was developed in collaboration with Martin Wessner, Martin Mühlpfordt and colleagues at the Fraunhofer Institute IPSI in Darmstadt, Germany. The VMT project is supported by grants from the NSDL, IERI and SoL programs of the US National Science Foundation.

## References

- Austin, J. (1952). *How to do things with words*. Boston, MA: Harvard University Press.
- Bakhtin, M. (1986). *Speech genres and other late essays* (V. McGee, Trans.). Austin, TX: University of Texas Press.
- Barron, B. (2003). When smart groups fail. *Journal of the Learning Sciences*, 12(3), 307–359.
- Bereiter, C. (2002). *Education and mind in the knowledge age*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Bourdieu, P. (1972/1995). Structures and the habitus (R. Nice, Trans.). In *Outline of a theory of practice* (pp. 72–95). Cambridge, UK: Cambridge University Press.
- Bruner, J. (1990). *Acts of meaning*. Cambridge, MA: Harvard University Press.
- Cakir, M., Xhafa, F., Zhou, N., & Stahl, G. (2005). *Thread-based analysis of patterns of collaborative interaction in chat*. Paper presented at the international conference on AI in Education (AI-Ed 2005), Amsterdam, Netherlands. (<http://www.cis.drexel.edu/faculty/gerry/pub/aied2005.pdf>)
- Clark, H., & Brennan, S. (1991). Grounding in communication. In L. Resnick, J. Levine, & S. Teasley (Eds.), *Perspectives on socially-shared cognition* (pp. 127–149). Washington, DC: APA.
- Cobb, P. (1995). Mathematical learning and small-group interaction: Four case studies. In P. C. H. Bauersfeld (Ed.), *The emergence of mathematical meaning: Interaction in classroom cultures* (pp. 25–129). Mahwah, NJ: Lawrence Erlbaum Associates.
- Dennett, D. C. (1991). *Consciousness explained*. Boston, MA: Little Brown and Company.
- Design-Based Research Collective. (2003). Design-based research: An emerging paradigm for educational inquiry. *Educational Researcher*, 32(1), 5–8.
- Dillenbourg, P., & Traum, D. (2006). Sharing solutions: Persistence and grounding in multimodal collaborative problem solving. *Journal of the Learning Sciences*, 15(1), 121–151.
- Duranti, A. (1998). *Linguistic anthropology*. Cambridge, UK: Cambridge University Press.
- Fuks, H., Pimentel, M., & de Lucena, C. J. P. (2006). R-u-typing-2-me? Evolving a chat tool to increase understanding in learning activities. *International Journal of Computer-Supported Collaborative Learning*, 1(1). ([http://ijcscl.org/\\_preprints/volume1\\_issue1/fuks\\_pimentel\\_lucena.pdf](http://ijcscl.org/_preprints/volume1_issue1/fuks_pimentel_lucena.pdf))
- Garcia, A., & Jacobs, J. B. (1999). The eyes of the beholder: Understanding the turn-taking system in quasi-synchronous computer-mediated communication. *Research on Language and Social Interaction*, 34(4), 337–367.
- Garfinkel, H. (1967). *Studies in ethnomethodology*. Englewood Cliffs, NJ: Prentice-Hall.

- Garfinkel, H. (2006). *Seeing sociologically: The routine grounds of social action*. Boulder, CO: Paradigm Publishers.
- Heidegger, M. (1927/1996). *Being and time: A translation of Sein und Zeit* (J. Stambaugh, Trans.). Albany, NY: SUNY Press.
- Heritage, J. (1984). *Garfinkel and ethnomethodology*. Cambridge, UK: Polity Press.
- Jordan, B., & Henderson, A. (1995). Interaction analysis: Foundations and practice. *Journal of the Learning Sciences*, 4(1), 39–103. (<http://lrs.ed.uiuc.edu/students/c-merkel/document4.HTM>.)
- Lave, J. (1988). *Cognition in practice: Mind, mathematics and culture in everyday life*. Cambridge, UK: Cambridge University Press.
- Lave, J., & Wenger, E. (1991). *Situated learning: Legitimate peripheral participation*. Cambridge, UK: Cambridge University Press.
- Lemke, J. (1990). *Talking science*. Norwood, NJ: Ablex.
- Lerner, G. (1993). Collectivities in action: Establishing the relevance of conjoined participation in conversation. *Text*, 13(2), 213–245.
- Linell, P. (2001). *Approaching dialogue: Talk, interaction and contexts in dialogical perspectives*. New York, NY: Benjamins.
- Livingston, E. (1986). *The ethnomethodological foundations of mathematics*. London, UK: Routledge & Kegan Paul.
- Livingston, E. (1987). *Making sense of ethnomethodology*. London, UK: Routledge & Kegan Paul.
- Livingston, E. (1995). *An anthropology of reading*. Bloomington, IN: Indiana University Press.
- Livingston, E. (1999). Cultures of proving. *Social Studies of Science*, 29(6), 867–888.
- Lonchamp, J. (2006). Supporting synchronous collaborative learning: A generic, multi-dimensional model. *International Journal of Computer-Supported Collaborative Learning*, 1(2). (<http://ijcscl.org/preprints/volume1.issue2/lonchamp.pdf>.)
- Mühlpfordt, M., & Wessner, M. (2005). *Explicit referencing in chat supports collaborative learning*. Paper presented at the international conference on Computer Support for Collaborative Learning (CSCL 2005), Taipei, Taiwan.
- NCTM. (1989). *Curriculum and evaluation standards for school mathematics*. Alexandria, VA: National Council of Teachers of Mathematics.
- NCTM. (2000). *Principles and standards for school mathematics*. Alexandria, VA: National Council of Teachers of Mathematics.
- O'Neill, J., & Martin, D. (2003). *Text chat in action*. Paper presented at the ACM Conference on Groupware (GROUP 2003), Sanibel Island, FL.
- Pomerantz, A., & Fehr, B. J. (1991). Conversation analysis: An approach to the study of social action as sense making practices. In T. A. van Dijk (Ed.), *Discourse as social interaction: Discourse studies, A multidisciplinary introduction, volume 2* (pp. 64–91). London, UK: Sage.
- Psathas, G. (1995). *Conversation analysis: The study of talk-in-interaction*. Thousand Oaks, CA: Sage.
- Sacks, H. (1992). *Lectures on conversation*. Oxford, UK: Blackwell.
- Sacks, H., Schegloff, E. A., & Jefferson, G. (1974). A simplest systematics for the organization of turn-taking for conversation. *Language*, 50(4), 696–735. ([www.jstor.org](http://www.jstor.org).)
- Sarmiento, J., Trausan-Matu, S., & Stahl, G. (2005). *Co-constructed narratives in online, collaborative mathematics problem solving*. Paper presented at the international conference on AI in Education (AI-Ed 2005), Amsterdam, Netherlands. (<http://www.cis.drexel.edu/faculty/gerry/pub/aiedwkshp.pdf>.)

- Scardamalia, M., & Bereiter, C. (1996). Computer support for knowledge-building communities. In T. Koschmann (Ed.), *CSCL: Theory and practice of an emerging paradigm* (pp. 249–268). Hillsdale, NJ: Lawrence Erlbaum Associates. D.O.I.: [1996].
- Schegloff, E. (1991). Conversation analysis and socially shared cognition. In L. Resnick, J. Levine & S. Teasley (Eds.), *Perspectives on socially shared cognition* (pp. 150–171). Washington, DC: APA.
- Schegloff, E. A., Jefferson, G., & Sacks, H. (1977). The preference for self-correction in the organization of repair in conversation. *Language*, 53(2), 361–382. ([www.jstor.org](http://www.jstor.org)).
- Searle, J. (1969). *Speech acts: An essay in the philosophy of language*. Cambridge, UK: Cambridge University Press.
- Sfard, A. (2002). There is more to discourse than meets the ears: Looking at thinking as communicating to learn more about mathematical learning. In C. Kieran, E. Forman & A. Sfard (Eds.), *Learning discourse: Discursive approaches to research in mathematics education* (pp. 13–57). Dordrecht, Netherlands: Kluwer.
- Sfard, A., & Linchevski, L. (1994). The gains and the pitfalls of reification — The case of algebra. *Educational Studies in Mathematics*, 26, 191–228.
- Sfard, A., & McClain, K. (2003). Analyzing tools: Perspectives on the role of designed artifacts in mathematics learning: Special issue. *Journal of the Learning Sciences*, 11(2 & 3).
- Shannon, C., & Weaver, W. (1949). *The mathematical theory of communication*. Chicago, IL: University of Illinois Press.
- Shumar, W. (2006). *The production of self, other and group through f2f and online chat interactions at the Math Forum*. Paper presented at the 27th Urban Ethnography in Education Research Forum, Philadelphia, PA.
- Stahl, G. (2005). *Sustaining online collaborative problem solving with math proposals [winner of best paper award]*. Paper presented at the International Conference on Computers and Education (ICCE 2005), Singapore, Singapore. Proceedings, pp. 436–443. (<http://www.cis.drexel.edu/faculty/gerry/pub/icce2005.pdf>).
- Stahl, G. (2006a). Analyzing and designing the group cognitive experience. *International Journal of Cooperative Information Systems*. (<http://www.cis.drexel.edu/faculty/gerry/pub/ijcis.pdf>).
- Stahl, G. (2006b). *Group cognition: Computer support for building collaborative knowledge*. Cambridge, MA: MIT Press. (<http://www.cis.drexel.edu/faculty/gerry/mit/>).
- Stahl, G., Koschmann, T., & Suthers, D. (2006). Computer-supported collaborative learning: An historical perspective. In R. K. Sawyer (Ed.), *Cambridge handbook of the learning sciences*. Cambridge, UK: Cambridge University Press. ([http://www.cis.drexel.edu/faculty/gerry/cscl/CSCL\\_English.pdf](http://www.cis.drexel.edu/faculty/gerry/cscl/CSCL_English.pdf)) (in English), ([http://www.cis.drexel.edu/faculty/gerry/cscl/CSCL\\_Chinese.pdf](http://www.cis.drexel.edu/faculty/gerry/cscl/CSCL_Chinese.pdf)) (in Chinese).
- Stahl, G., Zemel, A., Sarmiento, J., Cakir, M., Weimar, S., Wessner, M., et al. (2006). *Shared referencing of mathematical objects in chat*. Paper presented at the International Conference of the Learning Sciences (ICLS 2006), Bloomington, IL. (<http://www.cis.drexel.edu/faculty/gerry/pub/icls2006.pdf>).
- Strijbos, J. W., & Stahl, G. (2005). *Chat-based problem solving in small groups: Developing a multi-dimensional coding scheme*. Paper presented at the Eleventh Biannual Conference of the European Association for Research in Learning and Instruction (EARLI 2005), Nicosia, Cyprus. (<http://www.cis.drexel.edu/faculty/gerry/pub/earli2005jw.pdf>).
- Suchman, L. (1987). *Plans and situated actions: The problem of human-machine communication*. Cambridge, UK: Cambridge University Press.

- Suthers, D. D. (2006). Technology affordances for intersubjective meaning making: A research agenda for CSCL. *International Journal of Computer-Supported Collaborative Learning*, 1(3).
- ten Have, P. (1999). *Doing conversation analysis: A practical guide*. Thousand Oaks, CA: Sage.
- Vygotsky, L. (1930/1978). *Mind in society*. Cambridge, MA: Harvard University Press.
- Wegerif, R. (2006). A dialogical understanding of the relationship between CSCL and teaching thinking skills. *International Journal of Computer-Supported Collaborative Learning*, 1(1). ([http://ijcscl.org/\\_preprints/volume1issue1/wegerif.pdf](http://ijcscl.org/_preprints/volume1issue1/wegerif.pdf).)
- Winograd, T., & Flores, F. (1986). *Understanding computers and cognition: A new foundation of design*. Reading, MA: Addison-Wesley.
- Wittgenstein, L. (1944/1956). *Remarks on the foundations of mathematics*. Cambridge, MA: MIT Press.
- Wittgenstein, L. (1953). *Philosophical investigations*. New York, NY: Macmillan.
- Zemel, A. (2005). *Texts-in-interaction: Collaborative problem-solving in quasi-synchronous computer-mediated communication*. Paper presented at the International Conference of Computer-Supported Collaborative Learning (CSCL 05), Taipei, Taiwan.
- Zemel, A., Xhafa, F., & Cakir, M. (2005). *What's in the mix? Combining coding and conversation analysis to investigate chat-based problem-solving*. Paper presented at the 11th Biennial Conference of the European Association for Research on Learning and Instruction (EARLI 2005), Nicosia, Cyprus.
- Zemel, A., Xhafa, F., & Stahl, G. (2005). *Analyzing the organization of collaborative math problem-solving in online chats using statistics and conversation analysis*. Paper presented at the CRIWG International Workshop on Groupware, Racife, Brazil. (<http://www.cis.drexel.edu/faculty/gerry/pub/criwg2005zemel.pdf>.)